





## Weekly Lab Status Meeting - January 28, 2014

## Fiscal Year Summary by injury type

	FY2003	FY2004	FY2005	FY2006	FY2007	FY2008	FY2009	FY2010	FY2011	FY2012	FY2013	FY2014
DART	12	11	11	7	12	3	12	6	6	19	7	2
TRC	34	32	30	29	32	12	25	20	21	38	26	8
First Aid	82	67	66	48	60	62	58	52	51	46	35	6









### **Injuries:**

						Medical		ESH	
Division	Category	Case Date	Date Entered	Recordable	Rx	ODD	LDD	ODD	LDD
PD	FNAL	01/14/2014	01/21/2014	Y		0	0	0	0

**Medical Comments:** A scientist emeritus was installing cables when he tripped and fell over the cable striking his forehead against the concrete floor causing a laceration. He was transported to Delnor Hospital where he received 5 stitches.

**ESH Comments:** A scientist emeritus and an employee were making a controlled access to work on some electronics. They had pulled the electronics and some cables. Some cables were strung across the floor in the aisle in front of the electronics racks. As the SE turned to walk in another direction, his foot caught on a cable, causing him to lose his balance and fall. He hit his forehead on the concrete floor, resulting in a laceration. He was transported to the hospital and received 5 sutures. Recordable injury.

## **Claim Pending:**

None

#### **Vehicle Accidents:**

None

## **ORPS/Incidents/Notices of Violations:**

None





# **Employee TRC & DART Details for Current Fiscal Year**

Organization	TRC Cases	TRC Rate	TRC 3-Year Average	TRC KPI	DART Cases	DART Rate	DART 3-Year Average	DART KPI
AD	1	0.84	2.39	1	0	0.00	0.57	1
APC	0	0.00	0.00	$\Rightarrow$	0	0.00	0.00	$\Rightarrow$
BS	2	5.31	1.92	1	1	2.65	0.55	1
CCD	0	0.00	0.29	1	0	0.00	0.00	$\Rightarrow$
CD	0	0.00	0.12	1	0	0.00	0.12	1
CMS	0	0.00	0.00	$\Rightarrow$	0	0.00	0.00	$\Rightarrow$
DI	1	7.32	2.38	1	0	0.00	0.00	$\Rightarrow$
ES	0	0.00	0.89	1	0	0.00	0.89	1
FCPA	0	0.00	0.00	$\Rightarrow$	0	0.00	0.00	$\Rightarrow$
FE	1	3.32	3.85	1	0	0.00	2.26	1
FI	0	0.00	1.18	1	0	0.00	0.00	<b>→</b>
LBNE	0	0.00	0.00	$\Rightarrow$	0	0.00	0.00	<b>⇒</b>
PD	1	0.94	0.65	1	0	0.00	0.39	1
SCD	0	0.00	0.25	1	0	0.00	0.25	1
TD	0	0.00	1.66	1	0	0.00	0.49	1
WR	0	0.00	1.32	1	0	0.00	0.00	<b>⇒</b>
Fermilab	6	1.07	1.41	1	1	0.18	0.48	+

# Required ESH Training and ITNA Status for Employees

Org	Completed Courses	Required Courses	Percent Completed	Employees	Current ITNAs	ITNAs < 1 Year Old	Missing ITNAs	ITNAs > 3 Years Old	
AD	9212	9272	99.4%	429	417	97.2%	0	0	
APC	603	606	99.5%	47	47	100.0%	0	0	
BS	2411	2414	99.9%	147	147	100.0%	0	0	
CCD	1440	1446	99.6%	97	97	100.0%	0	0	
CD	417	421	99.0%	36	33	91.7%	0	0	
CMS	188	190	98.9%	18	18	100.0%	0	0	
DI	657	659	99.7%	58	56	96.6%	0	0	
ES	981	983	99.8%	42	41	97.6%	0	0	
FCPA	117	117	100.0%	9	9	100.0%	0	0	
FE	2767	2779	99.6%	115	115	100.0%	0	0	
FI	447	447	100.0%	34	33	97.1%	0	0	
LBNE	103	105	98.1%	7	7	100.0%	0	0	
PD	6490	6545	99.2%	406	394	97.0%	1	0	
SCD	1907	1925	99.1%	162	154	95.1%	1	0	
TD	4244	4277	99.2%	213	211	99.1%	0	0	
WR	1219	1221	99.8%	102	97	95.1%	1	0	
Fermilab	33203	33407	99.4%	1922	1876	97.6%	3	0	

> 95% 90-95% < 90%

Missing ITNAs and ITNAs > 3 Years Old = Red Missing ITNAs for New Employees = Yellow